

أعلى 10 CE جودة الشركة المصنعة للزجاج Padel في الصين



تعد لعبة Padel Tennis واحدة من أكثر الرياضات شعبية في جميع أنحاء العالم ، وخاصة في الدول الأوروبية. أين تخطط لشراء بادل الزجاج عندما تنوي بناء ملعب تنس؟

أنت الآن في المكان الصحيح! شنتش زجاج التين كشركة مصنعة للزجاج موثوقة ومحترفة توفر زجاج ملعب تنس بادل عالي الجودة بأسعار أفضل.



ما نوع الزجاج الذي تحتاجه للمحكمة؟

يبلغ طول ملعب تنس البادل النموذجي 20 مترًا وعرضه 10 أمتار مع 18 قطعة من زجاج البادل. الساحة محاطة بالزجاج ، لذا فإن جودة الزجاج هي العامل الرئيسي. [الزجاج العائم](#) [الزجاج المقوى](#) [الزجاج العازل](#) كلاهما زجاج أمان. كلاهما أفضل خيار لبناء ملاعب تنس.



كيف يصنع بادل جلاس؟

بشكل عام ، هناك 5 خطوات لصنع زجاج محكمة البديل. بصفتنا شركة مصنعة متخصصة في ملاعب البادل ، نضمن أن كل خطوة تتبع المعايير لإنتاج أفضل منتجات الزجاج من أجلك.

1. التفتيش


أولاً ، سيتم فحص الألواح الزجاجية من الدرجة A من Xinyi بدقة للتأكد من عدم وجود عيوب مثل الفقاعات. يجب أن تتطابق السماكات والأحجام والألوان والدرجات مع بطاقات تسمية المنتجات والعينات المختومة.



A

2. القطع

ثانيًا ، سوف يتم وضع الصفحة الزجاجية على آلة القطع Bottero أو LiSEC الخاصة بنا ، وبعد ذلك سيتم قطعها بدقة دون أي خدوش أو رقائق.



3. طحن

ثالثًا ، يجب أن تكون الحواف الحادة للزجاج مطحونة حتى تكون مسطحة ومصقولة. يمكنك لمس الحواف دون قطع ، كما أن حواف الزجاج عالي الجودة أقل عرضة للكسر أثناء التقسية وبعدها.




□□□□□□ □□□□


4. الحفر

رابعًا ، يتم تثبيت زجاج محكمة المجذاف بواسطة براغي ، لذلك

يتعلق الأمر بعملية الحفر. يجب أن تكون أحجام الثقوب المشتعلة دقيقة وأن تكون الحواف ناعمة بدون أي انشاقات.



substandard



standard

5. تلطيف

خامسًا ، يتعلق الأمر بالعملية الأكثر أهمية. يتم وضع الصفحة الزجاجية في فرن التقسية لزيادة قوتها. بعد عملية التقسية ، لا تزال بحاجة إلى اختبار امتصاص الحرارة الذي يقلل من خطر الانكسار التلقائي الناجم عن كبريتيد النيكل. نحن نضمن أن نسبة الكسر العفوي لزجاج المضرب أقل من 0.1%.



المنتجات الزجاجية

مواصفات المنتج

اسم المنتج:	زجاج ملعب تنس البادل
الحجم :	2995 مم * 1995 مم ، 1995 مم * 1995 مم ، 3000 مم * 2000 م ، 2000 مم * 2000 م ، حسب الطلب
سماكة :	10 مم ، 12 مم ، 6 مم + 6 مم + 1.52PVB مم
الثقوب :	4 ، 5 ، 6 ، 8 ، 10 ، 12 ، حسب الطلب
اللون :	واضح

طبقة بينية للورق بين كل لوح زجاجي حالات خشبية قوية من الخشب الرقائقي لضمان السلامة أثناء النقل لمسافات طويلة.	التعبئة والتغليف :
CE EN-12150 للزجاج المقسى والزجاج الرقائقي	الشهادات:

كيفية تعبئة زجاج المضرب وضمان السلامة



نستخدم الخشب الرقائقي القوي في صناعة الصناديق الخشبية. هذه


1. نستخدم الخشب الرقائقي القوي في صناعة الصناديق الخشبية. هذه

الصناديق الخشبية قوية ولن تنكسر أثناء التحميل والتفريغ.



□□□□ □□□□ □□□

2. سيتم وضع ورق سميك ناعم على سطح كل زجاج. يمكن أن يقلل الاحتكاك والاهتزاز بين كل زجاج.



الخطوة 3: تحميل الصناديق الخشبية في الحاوية

3. بعد تحميل الصناديق الخشبية في الحاوية ، سيتم تثبيتها بحبال من النايلون بحيث لا تتحرك الصناديق الخشبية أثناء الشحن. عندما

يصل الزجاج إلى المنفذ الخاص بك ، فإنه لا يزال في حالة جيدة دون أي كسر.

شهادات CE

الشهادة * 證書 * Certificat * 증명서 * 認証書 * Сертификат

Certificate NO.: LBTC210420139S

Declaration of Conformity

The following product has been assessed by us with the listing standards and found in conformity with the EC Council Regulation of (EU) No 305/2011. It is possible to use CE marking to demonstrate the compliance with this CPR Regulation.

Report No. : LBTR210420139S

Applicant : Shenzhen Dragon Glass Co., Ltd
Address : C108, Yunhai enterprise headquarters base, No. 42 Caiyun Road, Jixiang community, Longcheng street, Longgang District, Shenzhen City, China

Manufacturer : Shenzhen Dragon Glass Co., Ltd
Address : Yunhai enterprise headquarters base, No. 42 Caiyun Road, Jixiang community, Longcheng street, Longgang District, Shenzhen City, China

Product Name : Tempered glass
Trade Name : N/A
Model No. : 4mm, 5mm, 6mm, 8mm, 10mm, 12mm, 15mm, 19mm.

EC Directives : CPR Regulation (EU) No 305/2011
Test Standards : EN 12160-1:2015
EN 12150-2:2004

The referred test report(s) show that the product complies with the essential requirements in the above listed standards. The applicant is authorized to use this certificate in connection with the EC declaration of CPR conformity according to the Regulation.

The CE marking as shown below can be affixed on the equipment after the preparation of the necessary technical documentation as well as the conformity declaration by the manufacturer.

Whereas the Manufacturer is responsible for the certification of the product(s) and not exempted from performing all the necessary activities before placing the product(s) on the market.

The Manufacturer is also responsible for the internal production control to ensure the product(s) are in compliance with the essential requirements of the above mentioned Regulation(s).



Chief Manager

Date of issue: Apr 25, 2021

This statement is based on a single evaluation of the sample(s) of above mentioned product. It does not imply an assessment of the whole production.

LABTEST TECHNOLOGY LABORATORY LTD
Mishua Pukyo Bio Park, Jinxu Road, Pingshan, Shenzhen, CHINA. <http://www.labtest.com>

الشهادة * 證書 * Certificat * 증명서 * 認証書 * Сертификат

Certificate NO.: LBTC210420140S

Declaration of Conformity

The following product has been assessed by us with the listing standards and found in conformity with the EC Council Regulation of (EU) No 305/2011. It is possible to use CE marking to demonstrate the compliance with this CPR Regulation.

Report No. : LBTR210420140S

Applicant : Shenzhen Dragon Glass Co., Ltd
Address : C108, Yunhai enterprise headquarters base, No. 42 Caiyun Road, Jixiang community, Longcheng street, Longgang District, Shenzhen City, China

Manufacturer : Shenzhen Dragon Glass Co., Ltd
Address : Yunhai enterprise headquarters base, No. 42 Caiyun Road, Jixiang community, Longcheng street, Longgang District, Shenzhen City, China

Product Name : Laminated (Safety) Glass
Trade Name : N/A
Model No. : 3mm+0.76PVB+3mm, 4mm+0.76PVB+4mm, 6mm+1.52PVB+6mm, 8mm+1.52PVB+8mm, 10mm+1.52PVB+10mm, 12mm+1.52PVB+12mm, 15mm+1.52PVB+15mm, 19mm+3.04PVB+19mm.

EC Directives : CPR Regulation (EU) No 305/2011
Test Standards : EN ISO 12543-3:2011
EN ISO 12543-2:2011

The referred test report(s) show that the product complies with the essential requirements in the above listed standards. The applicant is authorized to use this certificate in connection with the EC declaration of CPR conformity according to the Regulation.

The CE marking as shown below can be affixed on the equipment after the preparation of the necessary technical documentation as well as the conformity declaration by the manufacturer.

Whereas the Manufacturer is responsible for the certification of the product(s) and not exempted from performing all the necessary activities before placing the product(s) on the market.

The Manufacturer is also responsible for the internal production control to ensure the product(s) are in compliance with the essential requirements of the above mentioned Regulation(s).



Chief Manager

Date of issue: Apr 25, 2021

This statement is based on a single evaluation of the sample(s) of above mentioned product. It does not imply an assessment of the whole production.

LABTEST TECHNOLOGY LABORATORY LTD
Mishua Pukyo Bio Park, Jinxu Road, Pingshan, Shenzhen, CHINA. <http://www.labtest.com>

هل ترغب في بناء ملعب تنس خاص بك؟ يرجى إذا كنت بحاجة إلى مزيد من المعلومات.

لمزيد من صور باديال الزجاج ، الرجاء الضغط .