

تصاميم أنيقة 1.52pvb+6+6 خفف من الزجاج مغلقة السور للدرج مع سعر جيد





Nowadays glass products have been adopted by many architects for residential and commercial applications. [Tempered laminated glass](#) for staircase not only can provide super high strength and safety function, but also can provide a good sense of space and modern design. In this article, we are going to introduce you to our tempered laminated glass railing .for staircase

1، ما هو 1.52PVB +6+6 خفف حديدي الزجاج مغلقة للدرج؟

6+1.52PVB +6 خفف حديدي الزجاج مغلقة للدرج هو استخدام اثنين من ألواح الزجاج خفف سمك 6mm مغلقة جنباً إلى جنب مع 1.52PP

interlayer. تحمل درجة حرارة عالية والضغط العالي في الأوتوكلاف التصفيح لأكثر من 6 ساعات، ثم مزيج من الزجاج وبين الطبقات PVB هو معا بشكل دائم. يمكن أن توفر لك الدرج مع درابزين الزجاج أمانًا فائقًا وتتيح لك شعورًا رائعًا بتصميم عصري مبسط.



□□□□ □□□□ □□ □□


2، لماذا استخدام 1.52PVB لخفف من الزجاج مغلفة السور للدرج؟

قد يتساءل، لماذا لاستخدام 1.52pvb للرابزين الزجاج مغلفة، وليس 0.76pvb أو 1.14pvb أو حتى 2.28pvb أو سمكا؟ حسنا، الدرج الزجاجي

حديدي هو مكان الإنسان مباشرة لمست، وبالتالي تعتبر السلامة وقوة عالية بنفس أهمية التصميم الأنيق الحديث للتطبيقات التجارية أو السكنية .

ويقتراح 1.52PVB للدرج مع السور الزجاجي ل:

1. الزجاج المقسى قد تشوه بعد ارتفاع درجة الحرارة ولديه موجة الأسطوانة. لاثنين من الألواح الزجاجية خفف، وأكثر سمكا من بين الطبقات PVB، كلما كان ذلك أفضل للمواد PVB لاخترق في الفضاء من تشوه أو موجات الأسطوانة من الزجاج المقسى، وبالتالي 1.52 سيكون خيار التوازن لقوة عالية والسلامة وطويلة العمر الخيار؛
2. في الغالب الدرج مع السور الزجاج سوف تعتمد البراغي الانضمام إلى الزجاج مغلقة جنبا إلى جنب مع الدعم الهيكلي. عندما توجد ثقب، وهناك مخاطر أعلى من delamination، وبالتالي سيتم اقتراح PVB أكثر سمكا. 1.52PVB هو أفضل خيار من 1.14PVB؛
3. بالطبع، قد pvb سمكا توفر لك أعلى وطيفة مضادة للتأثير. ولكن ليس أكثر سمكا، كلما كان ذلك أفضل. عندما يكون سمك PVB أكثر من اللازم، فإن الزجاج المغلقة يتحول إلى مظهر أصفر لأن مادة PVB تحتوي على فهرس أصفر. وعلاوة على ذلك ، فإن PVB سمكا ، وأكثر تكلفة. للحصول على الدرج مع درابزين الزجاج والحجم والسمك والحفر والثقب، الخ متطلبات البيانات التقنية، 1.52PVB آمنة بما فيه الكفاية والخيار الاقتصادي.



□□□□ □□□□ □□□□ □□□□

3 ، 13.52mm خفف من الزجاج مغلقة السور لخصائص الدرج:

اسم المنتج	درج مع درابزين الزجاج / الدرج مع السور الزجاجي
سمك الزجاج	6mm + 6mm ، وسمك أخرى متاحة كذلك.
ألوان زجاجية	واضحة ، خيارات أخرى مثل الحديد المنخفض ، ملون ، وتتوفر.

1.52PVB, if you need 1.52SGP or EVA material, we can provide as well. We Shenzhen Dragon Glass are one of the .certified SGP suppliers	بين الطبقات
واضح، خيارات أخرى مثل أبيض حليبي، وردي، أخضر، أزرق، برونزي، أصفر، أرجواني، الخ قابلة للتخصيص.	PVB اللون
drilling, edging, digital printing , ceramic frit , heat soaked test , etc	عملية أخرى
متوازي الأضلاع شكل / مستطيل شكل / شكل منحنى؛	شكل زجاجي
تخضع لCE & ASTM مستوى عال.	نوعه
صناديق خشب بـ 1.52 كـ 1.52 قوي.	التعبئه
2000 متر مربع / يوم	القدرات

4 ، وكيفية تصنيع 6 +6+ 1.52pvb 13.52mm الزجاج مغلفة؟

For [stairs with glass](#) railing designs, there will be parallelogram shape or rectangle shape or curved shape, etc. Generally speaking, the rectangle shape tempered laminated glass production and quality control will be easier because it is manufactured mainly by machines. As below showing

Raw Material



Bottero-cutting



Grinding



Tempering



Laminating



Packing



العمليات التي تتم في مصنع الزجاج.

سوف يكون على حافة شكل متوازي الاضلاع بواسطة خط مستقيم آلة تلميع. سيكون هذا شرطا صارما لتجربة المشغل للسيطرة على دقة متفوقا. وستكون العمليات الأخرى هي نفسها كما سبق. كما أدناه صورة تظهر:



曲形夹层玻璃的弯曲

Curved shape laminated glass will need [curved tempering](#) and
: [curved laminated process](#)



□□□□ □□



□□□□□□ □□□□□□

5، كيف يمكننا السيطرة على نوعية الزجاج مغلفة السور للدرج؟

لدينا فريق مراقبة الجودة صارمة لفحص كل عملية للتأكد من عدم وجود عيوب أثناء التصنيع.



□□□□ □□ □□□□ □□□□□□

لدينا أيضا مختبر للتأكد من الزجاج مغلقة لديها قوة مضادة للتأثير الأداء.



□□□□□□ □□□□□□ □□□□□□ □□□□□□ □□□□□□ □□□□□□

6، [شنتشن التنين الزجاج](#) باعتبارها واحدة من أفضل شركات الدرابزين الزجاج المهنية، ويمكن أن نقدم لكم العديد من التصاميم خيارات:



شنتشن التنين الزجاج: شركة متخصصة في تصنيع وتصميم الدرابزين الزجاجي، وتقدم خدماتها في جميع أنحاء الصين وخارجها.



: 스페이스 스페이스 Spigots



: 00000 00000 000000 00000 0000000 0000000



U ٥٥٥٥٥ ٥٥٥٥ ٥٥٥٥ ٥٥٥٥٥ ٥٥٥٥

7 ، الشهادات

DECLARATION OF CONFORMITY

Latent Laboratory Certificate NO.: LBTCL111202C

EC Declaration of CPD Conformity

The following product has been tested by Latent Technology Laboratory Ltd. with the following standards and found to conform with the EC Council Directive of 89/105/EEC. It is acceptable to use CE marking to demonstrate the conformity with the CPD Directive.

Report No.: LBTCL111202C

Applicant: SHENZHEN DRAGON GLASS CO., LTD
Address: Yuhai enterprise headquarters base, Longheng street, Longgang District, Shenzhen, China

Manufacturer: SHENZHEN DRAGON GLASS CO., LTD
Address: Yuhai enterprise headquarters base, Longheng street, Longgang District, Shenzhen, China

Product: Laminated Safety Glass
Glass 1: 5.2-5mm, Glass 2: 5.2-5mm, PVB 1.14mm

Model No.: Glass 1: 5.2-5mm, Glass 2: 5.2-5mm, PVB 1.14mm

Trade Mark: N/A

Test Standards: EN ISO 13543-3:2011
EN ISO 13543-3:2011

The relevant test reports show that the product complies with the essential requirements of the above listed standards. The applicant is authorized to use the certificate in connection with the EC declaration of CPD conformity according to the Directive.




This certificate of conformity is based on a single evaluation of the submitted samples of the above mentioned product. It does not imply an assessment of the whole production and other relevant Directives have to be observed.

10, Shuangqiang Building, 2/F, 2nd Road, Nantou, Shenzhen, P.R. China
Tel: 86-755-26511882 Fax: 86-755-26511883
E-mail: latentlab@latentlab.com

RED Research Engineering Development Experts Consultants Limited
R.E.D. 研发专家顾问有限公司
Tel: 852 2872 9898 Fax: 852 2872 4193

Report R19101-1A
OR
Calibration of Oven No. 3
for
Heat Soak Process for Tempered Glass
to BS EN 14179-1: 2016
and
fulfilling the requirements of
Sections 8.1 & 9.3 of Code of Practice for
Structural Use of Glass 2018 of
Buildings Department of Hong Kong

Prepared for:
Glass Supplier & Glass Fabricator:
SHENZHEN DRAGON GLASS CO., LTD
Yuhai enterprise headquarters base, Longheng,
Longgang District, Shenzhen, China.

Research Engineering Development Experts Consultants Limited
Valid Period: From 2 August 2019 to 2 August 2021
Issue Date: 2 August 2019

QUALITY MANAGEMENT SYSTEM
CERTIFICATE

Certificate No.: 18730Q10200006
By virtue verify the
Shenzhen Dragon Glass Co., Ltd
Unified social credit code/Organization code:914403006271030114
Address: Yuhai enterprise headquarters base, Longheng,
Longgang District, Shenzhen, China

By virtue of the
Quality Management System
has been awarded this certificate for compliance with the product
ISO 9001:2015

The Quality Management System applies to the following area
Sales of Building Glass (Floor Glass, Tempered Glass, Laminated
Glass, Insulated Glass, Mirror Glass and Other Special Glass)
Applicable Clause
ISO 9001:2015

Date of Issue: Nov-09, 2018 Date of Validity: Nov-09, 2019

Surveillance Audit (The first time)	Surveillance Audit (The second time)	Surveillance Audit (The third time)

The quality management system is subject to yearly surveillance audit within
the period of validity, the certificate is valid only when used together with an
Approved Notice of Surveillance Audit issued by SGC.

Issued by **尹岩岩**

This certificate and its relevant information can apply to the website of Certification and
Accreditation Administration of the People's Republic of China. (www.cca.gov.cn/)

SGS SERVICE CENTER REGIONAL LIMITED (HONG KONG)
Address: 10/F, Causeway Bay, 1 Causeway Road, Hong Kong, China, Mainland

IGCC INTERNATIONAL GLASS CERTIFICATION CENTRE
305 West 34th Street, 10th Floor, New York, NY 10018
Phone: (212) 486-2278 Fax: (212) 486-2287 Email: igcc@igcc.com

IGMA INTERNATIONAL GLASS MANUFACTURERS ASSOCIATION

ACKNOWLEDGEMENT OF CERTIFICATION
THIS IS TO ACKNOWLEDGE THAT AS OF THIS DATE
Shenzhen Dragon Glass Co., Ltd
Shenzhen, Guangdong

IS A CURRENT LICENSEE AND HAS MET ALL GUIDELINES AND REQUIREMENTS FOR THE IGCC/IGMA CERTIFICATION PROGRAM AND IS ELIGIBLE TO LABEL THE BELOW INDICATED PRODUCTS AS IGCC/IGMA CERTIFIED. THE FOLLOWING ARE IN COMPLIANCE WITH ASTM E1363 FOR SEAL DURABILITY OF INSULATING GLASS UNITS AND PASADENA SEA CERTAIN RATING, AND AFTER WEATHERING DQCC CERTIFICATION REQUIREMENTS ARE INDICATED:

CELL #	GLASS	SPACER	FRAME CONST.	DESICCANT	SEALANT	DQA
4330	UIC2	MA	SCAGELC	LF	PIBSE	NO

THE IGCC/IGMA PROGRAM CERTIFICATION IS CURRENT AND IN FULL EFFECT AS OF THIS ISSUE DATE. CERTIFICATION IN THE IGCC/IGMA PROGRAM IS SUBJECT TO SENSATIONAL REMOVAL. PLEASE CHECK THE CURRENT CERTIFIED PRODUCTS DIRECTORY ON THIS OFFICE FOR MOST CURRENT INFORMATION.

Issue: February 11, 2019 Expires: 11, 2021
DATE OF ISSUE: CERTIFICATION PERIOD: **尹岩岩**
ADMINISTRATIVE SIGNATURE

SGC SAFETY GLASS CERTIFICATION CONTROL
305 West 34th Street, 10th Floor, New York, NY 10018
Phone: (212) 486-2278 Fax: (212) 486-2287 Email: sgc@sgc.com

ACKNOWLEDGEMENT OF CERTIFICATION
THIS IS TO ACKNOWLEDGE THAT AS OF THIS DATE
Shenzhen Dragon Glass Co., Limited
Shenzhen, Guangdong

IS A CURRENT LICENSEE AND HAS MET ALL GUIDELINES AND REQUIREMENTS FOR THE SGC/IGMA CERTIFICATION PROGRAM AND IS ELIGIBLE TO LABEL THE BELOW INDICATED PRODUCTS AS SGC/IGMA CERTIFIED. THE FOLLOWING ARE IN COMPLIANCE WITH ASTM E1363 FOR SEAL DURABILITY OF INSULATING GLASS UNITS AND PASADENA SEA CERTAIN RATING, AND AFTER WEATHERING DQCC CERTIFICATION REQUIREMENTS ARE INDICATED:

DOCC#	MM	Attributes	HT	Temp.Code	Max.Size	ANSI Class	Test Std	APPLD QTY
4301	9/16	A		TF0	1/2	A	IGMA+IGMA	3000
4304	11/16	A		TF0	1/2	A	IGMA+IGMA	3000
4305	1/4	A		TF0	1/2	A	IGMA+IGMA	3000
4306	9/16	A		TF0	1/2	A	IGMA+IGMA	3000
4307	3/8	A		TF0	1/2	A	IGMA+IGMA	3000
4308	1/2	A		TF0	1/2	A	IGMA+IGMA	3000
4309	1/2	A		TF0	1/2	A	IGMA+IGMA	3000
4310	3/4	A		TF0	1/2	A	IGMA+IGMA	3000
4312	1/2	M, SRA, RASAL	1.00M	TF0	1/2	A	IGMA+IGMA	3000
4316	1/2	IG-ARA, SRAAL	1.00M	TF0	1/2	A	IGMA+IGMA	3000
4322	1/4	A		TF0	1/2	A	IGMA+IGMA	3000
4323	3/8	A		TF0	1/2	A	IGMA+IGMA	3000
4324	1/2	A		TF0	1/2	A	IGMA+IGMA	3000

THE SGC/IGMA PROGRAM CERTIFICATION IS CURRENT AND IN FULL EFFECT AS OF THIS ISSUE DATE. CERTIFICATION IN THE SGC/IGMA PROGRAM IS SUBJECT TO SENSATIONAL REMOVAL. PLEASE CHECK THE CURRENT CERTIFIED PRODUCTS DIRECTORY ON THIS OFFICE FOR MOST CURRENT INFORMATION.

Issue: Jan 14, 2019 Expires: 14, 2021
DATE OF ISSUE: CERTIFICATION PERIOD: **尹岩岩**
ADMINISTRATIVE SIGNATURE

8, تفاصيل التعبئة:



. 0000000 000 00000000 00000 00 0000 0000000

Do you have any inquiries of the staircase with glass railing?
[Welcome to get a free quotation](#)
[!now](#)