


الصين المورد نوعية جيدة منخفضة الحديد واضح 8mm 10mm 10mm تشديد سعر الزجاج




يتم تباين سعر الزجاج تشديد هنا وهناك في الصين. بعضها أعلى، وبعضها أقل. يشعر العديد من العملاء بالارتباك عند مواجهة العديد من الخيارات فيما يتعلق بسعر الزجاج المقوى. هنا سوف يشرح [Shenzhen Dragon Glass](#) ما هو الزجاج المقوى والعوامل التي تؤثر على سعر الزجاج المقوى. سوف نساعدك على الحصول على أفضل قاعدة الجودة على أفضل الأسعار!

1، ما هو 10mm 10mm 12mm الزجاج المقوّن؟

يتم إنتاج الزجاج المقوى مقاس 8 مم 10 مم 12 مم عن طريق تسخين الألواح الزجاجية مقاس 8 مم 10 مم 12 مم المقطوعة إلى حجم حوالي 650 درجة في فرن تقسية الزجاج ثم يتم تبريدها بسرعة بواسطة نفثة رياح قوية. يمكن أن تشكل هذه المعالجة الحرارية ضغطًا قويًا جدًا

على سطح الزجاج المقوى مقاس 8 مم 10 مم 12 مم بينما لا يزال الجزء الداخلي من الزجاج متوترًا. هذا الضغط والتوتر هي في حالة التوازن، والذي يسمى أيضا قبل الإجهاد العلاج.



□□□□□□ □□□□□□ □□□□□□

بعد أن يتم تشديد الزجاج ، ستزداد القوة 5 مرات مقارنة بالزجاج المملدن العادي. يتم أيضًا زيادة الاستقرار الحراري للزجاج المقوى.

يتم تصنيف الزجاج المقوّى على أنه زجاج مبنى أمان أعلى وفقًا للعديد من المعايير في جميع أنحاء العالم. عندما يتم كسر الزجاج المقوّى عن طريق الخطأ، فإنه سوف يفتح جزيئات قطع صغيرة مع زوايا منفرجة والتي لن تضر البشر.



ومع ذلك ، فإن الزجاج المقوى لديه خطر محتمل [REDACTED] ، لتقليل الكسر التلقائي ، سيتم اقتراح [زجاج اختبار](#) [امتصاص الحرارة](#) .

2 ، 8mm 10mm 12mm مواصفات الزجاج تشديد :

تشديد سعر الزجاج / سعر الزجاج المقنن؛	اسم المنتج
الحديد المنخفض، واضحة، زرقاء، خضراء، رمادية، برونزية، وردية، ذهبية، الخ؛	ألوان زجاجية
واضح الزجاج المقنن، والزجاج المُبَدَن المُبَدَد، والزجاج المصنوع من السيراميك، الشمسية طلاء العاكسة الزجاج تشديد، انخفاض e طلاء تشديد الزجاج، والزجاج المقوسة تشديد؛ الرقمية المطبوعة تشديد الزجاج، متجمد تشديد الزجاج، الحرارة غارقة اختبار تشديد الزجاج، الخ.	أنواع الزجاج
شقة / منحنية؛	شكل زجاجي
غرامة مصقول، مات مصقول، حافة شطبة، حافة أخرى متاحة؛	الزجاج حافة العمل
الدرجة العليا A؛	جودة الزجاج
واجهة، نوافذ، أبواب، السور، المبارزة ، الخ.	التطبيقات
؛CE/ASTM/CCC/ISO9001	الشهادات
12000mm*3200	الحد الأقصى لحجم
6000QM / يوم	القدرات
صناديق خشب بـلـكـلـك قوي.	التعبئه

3، والتطبيقات ل 8mm 10mm 12mm الزجاج المقنّد:

1. جدار التقسيم؛
2. باب الدش؛
3. درابزين / درابزين / شرفة / سياج؛
4. الأبواب؛
5. نوافذ؛
6. الواجهة / الحائط الساتر
7. أسطح الطاولة؛

الخ؛




.□□□□□ □□□□□□ □□□□□□□□

4 ، كيف ننتج زجاج مقوى 8 مم 10 مم 12 مم
12 مم؟

1. قطع 8mm 10mm 12mm الزجاج لحجم الخاص بك ؛
2. القيام حافة لقطع إلى حجم الزجاج؛

3. حفر الثقوب إذا كان هناك أي؛
4. نقل الزجاج إلى فرن تشديد لعملية تشديد؛
5. التعبئة والتسليم.



.□□□□□□ □□□□□ □□□□□

5، كيف يمكننا ضمان الجودة الزجاج لدينا تشديد؟

1. نحن نعتمد أفضل المواد الخام الزجاج مع عدم وجود فقاعات لا رقائق لا خدوش، الخ؛
2. لدينا أفضل آلات معالجة الزجاج المتقدمة للتأكد من دقة حجم الزجاج ، وعدم وجود تشققات دقيقة على الحافة أو السطح ، إلخ ؛
3. خلال كل عملية ، لدينا فريق مراقبة الجودة للتفتيش الدقيق للتأكد من عدم وجود عيوب.

تفاصيل أخرى يمكننا مناقشتها إذا كنت مهتمًا [بمعرفة المزيد](#) .



.□□□□□□ □□□□ □□□□□ □□□□□

6، لدينا شهادات:

DECLARATION OF CONFORMITY


Latent Laboratory
Certificate NO.: LBTC1311202E

EC Declaration of CPD Conformity

The following product has been tested by Latent Technology Laboratory Ltd. with the following standards and found to conform to the EC Council Directive of 89/106/EEC. It is possible to use CE marking to demonstrate the conformity with the CPD Directive.

Report No.: LBTC1311202E
Applicant: SHENZHEN DRAGON GLASS CO., LTD
Address: Yuhai enterprise headquarters base, Longcheng street, Longgang District, Shenzhen, China
Manufacturer: SHENZHEN DRAGON GLASS CO., LTD
Address: Yuhai enterprise headquarters base, Longcheng street, Longgang District, Shenzhen, China
Product: Laminated Safety Glass
Glass 1: 5.0mm, Glass 2: 5.0mm
Model No.: Glass 1: 5.0mm, Glass 2: 5.0mm
Trade Mark: N/A
Test Standards: EN ISO 13543-3:2011
EN ISO 13543-3:2011

The relevant test reports show that the product complies with the essential requirements of the above listed standards. The applicant is authorized to use the certificate in connection with the EC declaration of CPD conformity according to the Directive.

This certificate of conformity is based on a single evaluation of the submitted samples of the above-mentioned product. It does not imply an assessment of the whole production and other relevant Directives have to be observed.

10, Shuangqiang Building, Yuhai Road, Nanshan District, Shenzhen, P.R. China
Tel: 86-755-26611188 Fax: 86-755-26611188
E-mail: latentlab@latentlab.com

RED Research Engineering Development Experts Consultants Limited
R.E.D. 研发专家顾问有限公司
Tel: 852 2627 8898 Fax: 852 2627 4193

Report R19H01-1A
OR
Calibration of Oven No. 3
for
Heat Soak Process for Tempered Glass
to BS EN 14179-1: 2016
and
fulfilling the requirements of
Sections 8.1 & 9.3 of Code of Practice for
Structural Use of Glass 2018 of
Building Department of Hong Kong

Prepared for:
Glass Supplier & Glass Fabricator:
SHENZHEN DRAGON GLASS CO., LTD
Yuhai enterprise headquarters base, Longcheng,
Longgang District, Shenzhen, China.

Research Engineering Development
Experts Consultants Limited
Valid Period: From 2 August 2019 to 2 August 2021
Issue Date: 2 August 2019

QUALITY MANAGEMENT SYSTEM
CERTIFICATE

Certificate No.: 1873AQ10288866
By virtue of this
Shenzhen Dragon Glass Co., Ltd
Unified social credit code/Organization code:914403006270399194
Address: Yuhai enterprise headquarters base, Longcheng,
Longgang District, Shenzhen, China
By means of its
Quality Management System
has been awarded this certificate for compliance with the product
ISO 9001:2015

The Quality Management System, applies to the following area
**Sales of Building Glass (Floor Glass, Tempered Glass, Laminated
Glass, Insulated Glass, Mirror Glass and Other Special Glass)**
Applicable Clause:
ISO 9001:2015

Date of Issue: Nov-09, 2016 Date of Renewal: Nov-09, 2019
Surveillance Audit (The first time) Surveillance Audit (The second time) Certificate Issue (The third time)

This quality management system is subject to yearly surveillance audits within
the period of validity, the certificate is valid only when used together with an
Approved Notice of Surveillance Audit issued by SDC.

Issued by 

This certificate and its relevant information can apply to the website of Certification and
Accreditation Administration of the People's Republic of China. (www.cca.org.cn)

SHENZHEN SICHUAN INTERNATIONAL LIMITED (SHEN SICHUAN)
Address: No. 4, Luoping, Qianwan Road 1, Qianwan District, Shenzhen, Guangdong, P.R. China

IGCC INTERNATIONAL GLASS CERTIFICATION PROGRAM
305 West 57th Street, 10th Floor, New York, NY 10019
Phone: (212) 486-2278 Fax: (212) 486-2297 Email: igcc@igcc.com

IGMA INTERNATIONAL GLASS MANUFACTURERS ASSOCIATION
305 West 57th Street, 10th Floor, New York, NY 10019
Phone: (212) 486-2278 Fax: (212) 486-2297 Email: igma@igma.com

ACKNOWLEDGEMENT OF CERTIFICATION
THIS IS TO ACKNOWLEDGE THAT AS OF THIS DATE
Shenzhen Dragon Glass Co., Ltd
Shenzhen, Guangdong

IS A CURRENT LICENSEE AND HAS MET ALL GUIDELINES AND REQUIREMENTS FOR THE IGCC/IGMA CERTIFICATION PROGRAM AND IS ELIGIBLE TO LABEL THE BELOW INDICATED PRODUCTS AS IGCC/IGMA CERTIFIED. THE FOLLOWING ARE IN COMPLIANCE WITH ASTM E1363 FOR SEAL DURABILITY OF INSULATING GLASS UNITS AND PASSED GAS PERMEABILITY AND AFTER WEATHERING (AW) CERTIFICATION REQUIREMENTS AS INDICATED:

IGCC #	GLASS	SPACER	FRAME CONST.	DESICCANT	SEALANT	DGA
4330	1UC2	MA	SCAGELC	LF	PIBSE	NO

THE IGCC/IGMA PROGRAM CERTIFICATION IS CURRENT AND IN FULL EFFECT AS OF THIS ISSUE DATE. CERTIFICATION IN THE IGCC/IGMA PROGRAM IS SUBJECT TO SEMI-ANNUAL REVISION. PLEASE CHECK THE CURRENT CERTIFIED PRODUCTS DIRECTORY ON THIS OFFICE FOR MOST CURRENT INFORMATION.

Issue: February 11, 2019 Expires: 11, 2021
DATE OF ISSUE: _____ CERTIFICATION PERIOD: _____


SIGC safety glazing certification council
305 West 57th Street, 10th Floor, New York, NY 10019
Phone: (212) 486-2278 Fax: (212) 486-2297 Email: sigc@sigc.com

ACKNOWLEDGEMENT OF CERTIFICATION
THIS IS TO ACKNOWLEDGE THAT AS OF THIS DATE
Shenzhen Dragon Glass Co., Limited
Shenzhen, Guangdong

IS A CURRENT LICENSEE AND HAS MET ALL GUIDELINES AND REQUIREMENTS FOR THE SIGC SAFETY GLAZING PROGRAM AND IS ELIGIBLE TO LABEL THE BELOW INDICATED PRODUCTS TO THE SIGC SAFETY GLAZING PROGRAM. THE FOLLOWING ARE IN COMPLIANCE WITH SIGC SAFETY GLAZING PROGRAM REQUIREMENTS AS INDICATED:

DOCCEN	MM	Attributes	INT	Temp.Code	Max.Size	ANSI/CPA	Test.Std	APPLICABLE CODE
4300	3/16	A		TF0	1/2	A	IGCC+IGMA	2008
4304	3/16	A		TF0	1/2	A	IGCC+IGMA	2008
4305	1/4	A		TF0	1/2	A	IGCC+IGMA	2008
4306	3/8	A		TF0	1/2	A	IGCC+IGMA	2008
4307	3/8	A		TF0	1/2	A	IGCC+IGMA	2008
4308	1/2	A		TF0	1/2	A	IGCC+IGMA	2008
4309	1/2	A		TF0	1/2	A	IGCC+IGMA	2008
4310	3/4	A		TF0	1/2	A	IGCC+IGMA	2008
4312	3/4	A	IGMA	TF0	1/2	A	IGCC+IGMA	2008
4316	3/4	IGMA	IGMA	TF0	1/2	A	IGCC+IGMA	2008
4320	1/4	A		TF0	1/2	A	IGCC+IGMA	2008
4324	3/8	A		TF0	1/2	A	IGCC+IGMA	2008
4325	1/2	A		TF0	1/2	A	IGCC+IGMA	2008

THE SIGC PROGRAM CERTIFICATION IS CURRENT AND IN FULL EFFECT AS OF THIS ISSUE DATE. CERTIFICATION IN THE SIGC PROGRAM IS SUBJECT TO SEMI-ANNUAL REVISION. PLEASE CHECK THE CURRENT CERTIFIED PRODUCTS DIRECTORY ON THIS OFFICE FOR MOST CURRENT INFORMATION.

Issue: Jan 24, 2019 Expires: Jan 24, 2021
DATE OF ISSUE: _____ CERTIFICATION PERIOD: _____


7، لدينا تفاصيل التعبئة:

8. متطلبات حافة ;

9. متطلبات معيار جودة الزجاج: تخضع لـ CCC أو CE أو ASTM ، لأنها ستؤثر على التحكم في التسامح.

ستؤثر الأسباب الأخرى مثل تغيرات الموسم وتغيرات العرض والطلب وما إلى ذلك على أسعار الزجاج المشددة أيضاً .

بشكل عام ، أدناه هو بعض السعر من الزجاج تشديد للرجوع اليها :

البند	الكمية (SQM)	سعر فوب (USD / SQM)
8mm واضح سعر الزجاج تشديد	200	12.3
10mm واضح سعر الزجاج تشديد	200	14.5
12mm واضح سعر الزجاج تشديد	200	17.2

□□□□□□ □□□□□□ □□□□□□□□ □□□□□□

إذا كانت لديك أي استفسارات ، فمرحباً [بك للحصول على أفضل سعر للزجاج المقوى الآن !](#)