

### China Top 5 -5mm Euro Bronze Solar Control Glass Competitive Price



What is 5mm Euro Bronze Solar Control Glass?



5mm Euro Bronze Solar Control Glass, also known as euro bronze one-way mirror, euro bronze reflective glass/ coated glass, is fabricated by applying a metallic coating to 5mm euro bronze tinted glass. This process enables the glass to reflect heat, making it energy-efficient. Additionally, it effectively transmits visible light while blocking ultraviolet and infrared rays, further enhancing its energy-saving properties.

**Solar Control Glass**, also kown as <u>reflective glass</u>, is generally coated on the glass surface with one or more layers of metals such as chromium, titanium, or stainless steel, or their compounds composed of thin films, so that the product is richly colored, for the visible light has the appropriate transmittance, infrared has a high reflectivity, high

absorption of ultraviolet light.

Therefore, also known as the solar control of the glass, and is often further processed into laminated glass, or <u>insulated</u> glass units (IGU).



Look! Different kinds of Solar Control Glass in our sample room.

# How is the 5mm Euro Bronze Solar Control Glass produced?

• Raw Material Preparation: Choosing premium 5mm glass as

the raw material.

- Cleaning and Preparing: Thoroughly clean the glass to remove any dirt, dust, or impurities that could affect the coating process.
- Coating Application: Apply a metallic coating, typically made of materials like silver, aluminum, or metal oxides, to one surface of the glass sheet. This coating is responsible for giving the glass its reflective properties.
- Curing or Drying: Cure the coated glass in a controlled environment to ensure proper adhesion and durability of the reflective layer.
- Inspection of Quality□ Conduct a detailed inspection of the coated glass to check for uniformity of the coating, absence of defects, and overall quality standards.
- Packaging: Finally, the glass is cleaned, inspected, and packaged for shipment to ensure it arrives in perfect condition at its destination.



The Production Line




**Rigorous Quality Control** 

## What are the Features of 5mm Euro Bronze Solar Control Glass?

• Energy Efficiency: To control solar energy radiation

effectively, and block far infrared radiation, it can help you reduce air conditioning costs in the summer and heating costs in the winter, while also preventing damage to furniture and other items in your home.

- Privacy: Euro Bronze Solar Control Glass has a unidirectional light transmission feature that produces a glass mirror effect on the light-facing side while maintaining the transparency of the glass on the backlit side. This feature can effectively block the view of the outside of the building, but will not block the view of the inside, playing a good role in privacy protection.
- Aesthetic Appeal: The glass comes from 5mm tinted euro bronze glass, which adds a distinctive visual impact to the building.



## What are the Specifications of 5mm Euro Bronze Solar Control Glass?

Item Name: 5mm Euro Bronze Solar Control Glass

Glass Color: Euro Bronze

Glass Shape: flat, bent, or customized

**Glass Size:** sheet

size, 1650x2140mm, 2140x3300mm, 2250x3300mm, 2440x3300mm others

can be customized or cut;

Quality: IGCC /ASTM/CCC/IS09001, etc;

**Production Time:** 1-15 days, most of the time have stocks.


Packing: Export-level strong plywood crates;


Payment Term: T/T bank wire transfer


High Quality, Customization

#### **Product Parameter**

	Visible	e light	Sunl	ight	Shading	Sum of transmittance of Solar Energy	
	Transmittance	Reflectance	Direct transmittance	Direct reflectance	Coefficient		
4mm	29. 9	47	38. 9	14.8	0.57	50.83	
5mm	27	50	33	35	0.47	41	
6тт	25	52	31	36	0.44	39	







5mm Solar Control Glass Samples

THICKNESS	SIZE	PCS/CRATE	SQM/CRATE	CRATE/CONT	SQM/CONT	G.W./CONT
3MM	2440*1650	70	281.820	12	3381.84	33818
4MM	2140*1650	75	264.830	10	2648.30	26483
4MM	2250*1650	75	278.440	10	2784.40	27844
4MM	2440*1650	66	265.716	10	2657.16	26572
4MM	2440*1830	60	267.912	10	2679.12	26791
4MM	3300*2140	38	268.356	10	2683.56	26836
4MM	3300*2250	35	259.875	10	2598.75	25988
4MM	3300*2440	34	273.768	10	2737.68	27377
5MM	2000*1500	66	198.000	10	1980.00	24750
5MM	2140*1650	60	211.860	10	2118.60	26483
5MM	2250*1650	60	222.750	10	2227.50	27844
5MM	2440*1650	53	213.378	10	2133.78	26672
5MM	2440*1830	48	214.330	10	2143.30	26791
5MM	3300*2140	30	211.860	10	2118.60	26483
5MM	3300*2250	29	215.325	10	2153.25	26916
5MM	3300*2440	27	217.404	10	2174.04	27176
5.3MM	3300*2140	29	197.736	10	1977.36	27189
5.3MM	3300*2250	28	200.475	10	2004.75	27565
6MM	2140*1650	50	176.550	10	1765.50	26483
6MM	2250*1650	50	185.625	10	1856.25	27844
6MM	2440*1650	44	177.140	10	1771.40	26571
6MM	2440*1830	40	178.608	10	1786.08	26791
6MM	3300*2140	25	176.550	10	1765.50	26483
6MM	3300*2250	24	178.200	10	1782.00	26730
6MM	3300*2440	23	185.196	10	1851.96	27779
8MM	3300*2140	19	134.178	10	1341.78	26836
8MM	3300*2250	18	133.650	10	1336.50	26730
8MM	3300*2440	17	136.884	10	1368.84	27377
10MM	3300*2140	15	105.930	10	1059.30	26483
10MM	3300*2250	15	103.950	10	1039.50	25988
10MM	3300*2440	14	112.728	10	1127.28	28182

The Packing List

### **Quality Standard:**

<u>Dragon Glass</u>, as a prominent Chinese glass supplier, holds certifications for an extensive array of products, spanning from reflective glass to toughened glass, laminated glass, and insulated glass.

- Subject to IS09001, CE;
- Subject to ASTM
- Subject to EN12150
- Subject to SGCC-ANSI-Z97.1, ect.



Certificate NO : LBTC2104201395

#### **Declaration of Conformity**

The following product has been assessed by us with the listing standards and found in conformity with the EC Council Regulation of (EU) No 305/2011. It is possible to use C€ marking to demonstrate the compliance with this CPR Regulation.

: LBTR2104201395

Shenzhen Dragon Glass Co., Ltd
 C108, Yunhai enterprise headquarters base.No. 42 Calyun Road, Jinlang community, Longcheng street, Longgang District, Shenzhen City, China

urer : Shenzhen Dragon Glass Co., Ltd : Yunhai enterprise headquarters base,No. 42 Calyun Road, Jiklang community, Longcheng street, Longgang District, Shenzhen City, China

: Tempered glass

: N/A : 4mm, 5mm, 6mm, 8mm, 10mm, 12mm, 15mm, 19mm.

Model No. : 4mm, 5mm, 6mm, 1mm, 12mm, 15mm, 15mm, 15mm.

EC Directives : CPR Regulation (EU) No 308/2011

Test Standards : EN 12150-1:2015

EN 12150-1:2015

EN 12150-1:2015

EN 12150-1:2016

EN 12150-1:2016

EN 12150-1:2016

EN 12150-1:2016

The referred test report(s) show that the product complies with the essential requirements in the above listed standards. The applicant is authorized to use this certificate in connection with the EC declaration of CPR conformity according to the Regulation.

The CE matring as shown before can be efficient on the equipment after the preparation of the necessary stochnical documentation as well as the conformity declaration by the manufacturer. Whereas the Manufacturer is responsible for the certification of the product(s) and not exempted from performing all the necessary activities before placing the product(s) on the maxiful or the product(s) are in compliance with the essential requirements of the above mentioned Regulation(s).





ation of the sample(s) of above mentioned product. It does

증명서

Certificat

٠

#

認証

۰

Сертификат

Certificate

Certificate NO : LBTC210420140S

#### **Declaration of Conformity**

The following product has been assessed by us with the listing standards and found in conformity with the EC Council Regulation of (EU) No 305/2011. It is possible to use **〔**€ marking to demonstrate the compliance with this CPR Regulation.

Report No. : LBTR210420140S

Shenzhen Dragon Glass Co., Ltd
 C108, Yunhai enterprise headquarters base.No. 42 Calyun Road, Jiviang community, Longcheng street, Longgang Dietrict, Sheruhen City, China

unfacturer: Shenzhen Dragon Glass Co., Ltd 

Shenzhen Dragon Glass Co., Ltd 

'Vurbal enterprise headquaffers base No. 42 Calyun Road, Jislam 
community, Longcheng street, Longgang District, Shenzhen City, China 
tuct Name : Laminafed (Safety) Glass 

Name : 1 NA

| Trade Name | N/A | 3mm+0.76PVB+3mm, 4mm+0.76PVB+4mm, 6mm+1.52PVB+4mm, 3mm+0.76PVB+4mm, 10mm+1.52PVB+10mm, 12mm+1.52PVB+12mm, 15mm+1.52PVB+15mm, 19mm+3.04PVB+15mm. | 15mm+1.90PVB+15mm, 19mm+3.04PVB+15mm. | 15mm+1.90PVB+15mm |

EC Directives : CPR Regulation (EU) No 305/2011

Test Standards : EN ISO 12543-2-3011

The referred test reports) show that the product complies with the essential requirements in the above fissets standards. The applicant is authorized to use this certificate in connection with the EC declaration of CPR conformity according to the Regulation.

The CE making as shown below can be affixed on the equipment after the preparation of the necessary technical documentation as well as the conformity declaration by the manufacturer. Whereas the Manufacturer is responsible for the certification of the product(s) and not exempted from performing all the necessary activities before placing the product(s) on the marking.

The Manufacturer is also responsible for the internal production control to ensure the product(s) are in compliance with the essential requirements of the above mentioned Regulation(s).





This statement is based on a single evaluation or the seminar in the statement of the whole production not imply an assessment of the whole production.

LASTEST TECHNOLOGY LABORATORY LTD.

Millehus Pulyo Bio Park, Jinon Road, Progrider, Shensher, CHRIA. http://www.ciate.

SEC glazing certification council Administrative Office, AMS, Inc. 205 West Main Street, PO Box 73 Sackets Harbor, NY 13665 Phone: (315)646-2234 E-mail: staff@amsced.

#### ACKNOWLEDGEMENT OF CERTIFICATION

THIS IS TO ACKNOWLEDGE THAT AS OF THIS DATE

#### Shenzhen Dragon Glass Co., Limited Shenzhen, Guangdong

IS A CURRENT LICENSEE AND HAS MET ALL QUIDELINES AND REQUIREMENTS FOR THE SOCCIS CERTIFICA PROGRAM AND AS SULCH IS ELIGIBLE TO LABEL THE BELOW INDICATED PRODUCTS) AS SOCCIO CERTIFICA REPRESENTATION SAMPLES OF THE BELOW PRODUCTS HAVE BEEN FOUND TO BE IN COMPANIANCE WITH 201 - 3200 OR 2015 AS INDICATED, CPSC 16 CPR 1201 STANDARDS, OR BOTH STANDARDS, NOVAN AS COMPOSITE CERTIFICATION COMP), OR BOTH STANDARDS WITH CANCESSE 121 NOVAN AS COMP-CAS

SGCC	MIN	мм	Attributes	INT	Type Code	Max Size	ANSI Class	Test Std	ANSI Z97 Year
4303	5/32	4			TTG	U	A	COMP+CAN	2009
4304	3/16	5			TTG	U	A	COMP+CAN	2009
4305	1/4	.6			TTG	U	A	COMP+CAN	2009
4306	5/16	. 0			TTG	U	A	COMP+CAN	2009
4307	3/8	10			TTG	U	A.	COMP+CAN	2009
4308	1/2	12			TTG	U	A	COMP+CAN	2009
4309	*	15	(3)		TTG	U	A	COMP+CAN	2009
4310	3/4	19			TTG	U	A	COMP+CAN	2009
4312	0.0	8-16+	(b)(A)	(.030)	LTG.	U	A	COMP+CAN	2009
4575	0.0	10-16+	(ip)(A)	(.060)	LTG	U	A	COMP+CAN	2009
5052	1/4	0			TBG	U	A	COMP+CAN	2009
5053	5/16	8			TBG	U	A	COMP+CAN	2009
5054	3/8	10			TBG	U	A	COMP+CAN	2009
5055	1/2	12			TBG	U	A	COMP+CAN	2009

Thursday, July 14, 2019 DATE OF ISSUE

CERTIFICATION PERIOD

ADMINISTRATIVE MAN

#### SCHEDULE TO STANDARDSMARK LICENCE

### SAI Global hereby grants

#### ShenZhen Dragon Glass Co., Ltd.

Yunhai enterprise headquarters base, No. 42 Caiyun Road, Jixiang community, Longcheng street, Longgang District, Shenzhen, Guangdong, China, 518172

Manufactured to AS/NZS 2208:1996 - Safety glazing materials in build


Description	Type of Befory Diase	Glass Thickress Range (mm)	Colours	Grade	Furnace / Laminating Line	Maximum Loading / Laminated Size		Interitoper / Ceganic Film Type	Interlayer / Onganic Film Thickness	Date Endorsed
Flat Plans	Hear Strengthered Laminated	10 -34	Clear		Line 1	3440mm x 8000mm	Kinghourd. Traulal			8 Dec 2023
Fac Pain	Lambaled	8 - 16	Clear	A	Lamerante Line 7		Hinghoard, Treatur	Char FVB		8 (No
Flati Plant	Toughened	5 - 19	Chest	Α	Furnise 1	2440mm x 6000mm				8 Dec 2923
Flat Plant	Toughened Laneuled	10 - 30	Clear		Larrenate Line 1	2440mm o 8000mm	Kinghoard. Treafor	Clear		8 Dec. 2023

End of Record




## The Applications of 5mm Euro Bronze Solar Control Glass

- Apply to window systems;
- Apply to door systems;
- Many others



Packing and Delivery:



In addition to 5mm Euro Bronze Solar Control Glass, we also offer Solar Control Glass in various other colors and thicknesses, all of which are currently in stock or scheduled for delivery.

<u>Contact us</u> to place your orders. We assure you that you will not be disappointed!