


# Kiina toimittaja laadukkaita vähän rautaa kirkas sävytetty 8mm 10mm 12mm karkaistu lasi hinta




Karkaistu lasi hinta on monipuolinen siellä täällä Kiinassa. Jotkut ovat korkeammat, jotkut ovat pienempiä. Monet asiakkaat ovat hämmentyneitä, kun he kohtaavat niin monia vaihtoehtoja koskien karkaistun lasin hintaa. Täällä [Shenzhen Dragon Glass](#) kertoo mitä on karkaistu lasi ja mitkä tekijät vaikuttavat karkaistun lasin hintaan. Autamme sinua saamaan parhaan laatupohjan parhaaseen hintaan!

## 1, Mikä on 8mm 10mm 12mm karkaistu lasi?

8mm 10mm 12mm karkaistu lasi valmistetaan kuumentamalla 8mm

10mm 12mm mittoihin leikatut reunatyöstetty lasilevyt noin 650 asteen lämpötilaan lasin karkaisuunissa ja jäädyttämällä sitten nopeasti voimakkaalla tuulisuihkulla. Tämä lämpökäsittely voi muodostaa erittäin voimakkaan puristuksen 8mm 10mm 12mm karkaistulle lasipinnalle, kun taas lasin sisäpinta on edelleen jännittynyt. Tämä puristus ja jännitys ovat tasapainossa, jota kutsutaan myös stressiä edeltäväksi käsittelyksi.



### *Lasin kovettumisen periaate*

Kun lasi on karkaistu, lujuus kasvaa 5 kertaa normaaliin hehkutettuun lasiin verrattuna. Myös karkaistun lasin lämpöstabiilisuus paranee.

Karkaistu lasi on luokiteltu alkuun turvarakennus lasi monien standardien mukaisesti ympäri maailmaa. Kun karkaistu lasi on vahingossa rikki, se hajoaa pieniksi paloiksi hiukkasia obtuse kulmat, jotka eivät vahingoita ihmisiä.



*12mm karkaistu lasi rikkoutuminen*

Kuitenkin karkaistulla lasilla on potentiaalinen riski [REDACTED] vuoksi, spontaanin rikkoutumisen vähentämiseksi suositellaan [lämpövaikutustestilasia](#) .

## **2, 8mm 10mm 12mm karkaistu lasi tekniset tiedot:**

<b>Tuotteen nimi</b>	Karkaistu lasi hinta / Hinta karkaistu lasi;
<b>Lasin värit</b>	Vähän rautaa, kirkas, sininen, vihreä, harmaa, pronssi, vaaleanpunainen, kultainen, jne;

<b>Lasi tyypit</b>	Kirkas karkaistu lasi, sävytetty karkaistu lasi, keraaminen fritti karkaistu lasi, aurinko heijastava pinnoite karkaistu lasi, matala e pinnoite karkaistu lasi, kaareva karkaistu lasi; digitaalinen painettu karkaistu lasi, himmeä karkaistu lasi, lämpö liotettu testi karkaistu lasi jne.
<b>Lasin muoto</b>	Tasainen/kaareva;
<b>Lasi reunatyöt</b>	Hieno kiillotettu, matta kiillotettu, viistoreuna, muut reunatyöt saatavilla;
<b>Lasin laatu</b>	Top A-luokka;
<b>Sovelluksia</b>	Julkisivu, ikkunat, ovet, <a href="#">kaide</a> , <a href="#">aitaus</a> jne.
<b>Sertifioinnit</b>	CE/ASTM/CCC/ISO9001;
<b>Max koko</b>	3200*12000mm
<b>Kapasiteetti</b>	6000SQM/vrk
<b>Pakkaus</b>	Vahvat vanerilaatikot.

## **3, Sovellukset 8mm 10mm 12mm karkaistu lasi:**

1. Väliseinä;
2. Suihku ovi;
3. Kaide / kaide / parveke / aidat;
4. Ovet;
5. Windows;
6. Julkisivu/verhoseinä;
7. Pöytätasot;

Jne.




*Karkaistu lasi sovelluksia.*

## **4, Kuinka tuotamme 8mm 10mm 12mm karkaistua lasia?**

1. Leikkaa 8mm 10mm 12mm lasi kokoosi;
2. Tee reunatyö leikkaus koko lasi;

3. Poraa reikiä, jos niitä on;
4. Siirrä lasi kovettavaan uuniin kovettumista varten;
5. Pakkaaminen ja toimitus.



*Karkaistu lasi prosessi.*

## 5, Miten takaamme karkaistun lasin laadun?

1. Hyväksymme parhaan lasiraaka-aineen ilman kuplia ei siruja ei naarmuja, jne.
2. Meillä on parhaat kehittyneet lasinjalostuskoneet varmistaaksemme lasin koon tarkkuuden, ei mikrohalkeamia reunassa tai pinnassa jne.
3. Jokaisen prosessin aikana meillä on QC-tiimi, joka tarkastaa tiukasti varmistaaksemme, että vikoja ei ole.

Muista yksityiskohdista voimme keskustella, jos olet

kiinnostunut [tietämään lisää](#) .



*Karkaistu lasi prosessi tarkastus.*

## 6, Sertifioinnit:

**DECLARATION OF CONFORMITY**



**Labtest Laboratory**  
Certificate NO.: LBTC1311202E

**EC Declaration of CPD Conformity**

The following product has been tested by Labtest Technology Laboratory Ltd. with the following standards and found to conform to the EC Council Directive of 89/105/EEC. It is acceptable to use CE marking to demonstrate the conformity with the CPD Directive.

Report No.: LBTC1311202E  
Applicant: SHENZHEN DRAGON GLASS CO., LTD  
Address: Yuhai enterprise headquarters base, Longcheng street, Longgang District, Shenzhen, China  
Manufacturer: SHENZHEN DRAGON GLASS CO., LTD  
Address: Yuhai enterprise headquarters base, Longcheng street, Longgang District, Shenzhen, China  
Product: Laminated Safety Glass  
Glass 1: 5.0+5mm, Glass 2: 5.0+5mm  
Model No.: Glass 1: 5.0+5mm, Glass 2: 5.0+5mm, Glass 3: 5.0+5mm  
Trade Mark: N/A  
Test Standards: EN ISO 13543-3:2011, EN ISO 13543-3:2011

The relevant test reports show that the product complies with the essential requirements of the above listed standards. The applicant is authorized to use this certificate in connection with the EC declaration of CPD conformity according to the Directive.

This certificate of conformity is based on a single evaluation of the submitted samples of the above mentioned product. It does not imply an assessment of the whole production and other relevant Directives have to be observed.

10, Shuangqiyuan Building, Yuhai Road, Nanshan District, Shenzhen, P.R. China  
Tel: 86-755-26611482 Fax: 86-755-26611483 Email: labtest@labtest.com

**RED** Research Engineering Development Experts Consultants Limited  
R.E.D. 研发专家顾问有限公司  
Tel: 852 2627 0808 Fax: 852 2627 0193

**Report R19H01-1A**  
OR  
**Calibration of Oven No. 3**  
for  
**Heat Soak Process for Tempered Glass to BS EN 14179-1: 2016**  
and  
fulfilling the requirements of  
**Sections 8.1 & 9.3 of Code of Practice for Structural Use of Glass 2018 of Buildings Department of Hong Kong**

Prepared for:  
Glass Supplier & Glass Fabricator:  
**SHENZHEN DRAGON GLASS CO., LTD**  
Yuhai enterprise headquarters base, Longcheng, Longgang District, Shenzhen, China.

Research Engineering Development Experts Consultants Limited  
Valid Period: From 2 August 2019 to 2 August 2021  
Issue Date: 2 August 2019

**QUALITY MANAGEMENT SYSTEM CERTIFICATE**

Certificate No.: 1873AQ10288866  
By letter certify the  
**Shenzhen Dragon Glass Co., Ltd**  
Unified social credit code/Organization code:914403006271339114  
Address: Yuhai enterprise headquarters base, Longcheng, Longgang District, Shenzhen, China  
By means of its  
Quality Management System  
has been awarded this certificate for compliance with the product  
**ISO 9001:2015**

The Quality Management System, Apply in the following area  
**Sales of Building Glass (Floor Glass, Tempered Glass, Laminated Glass, Insulated Glass, Mirror Glass and Other Special Glass)**  
Applicable Clause:  
The Quality Management System is subject to yearly surveillance audit within the period of validity, the certificate is valid only when used together with an Assessment Notice of Surveillance Audit issued by SDC.

Date of Issue: Nov-09, 2016 Date of Validity: Nov-09, 2019  
Surveillance Audit (The first time) Surveillance Audit (The second time) Certificate Issue Date (The third time)

This certificate and its relevant information can apply to the domain of Certification and Accreditation Administration of the People's Republic of China. [www.cca.gov.cn]

Issued by **尹雪岩**  
SHEWAN TOMES INTERNATIONAL LIMITED (SHK) LTD  
Address: 4/F, 401 Wing Lok Street, Causeway Bay, Hong Kong, China

**IGCC** International Glass Certification Council  
305 West 56th Street, 10th Floor, New York, NY 10019  
Phone: (212) 486-2278 Fax: (212) 486-2297 Email: info@igcc.com

**IGMA** International Glass Manufacturers Association  
200 West 56th Street, 10th Floor, New York, NY 10019  
Phone: (212) 486-2278 Fax: (212) 486-2297 Email: info@igma.com

**ACKNOWLEDGEMENT OF CERTIFICATION**  
THIS IS TO ACKNOWLEDGE THAT AS OF THIS DATE  
**Shenzhen Dragon Glass Co., Ltd**  
**Shenzhen, Guangdong**

IS A CURRENT LICENSEE AND HAS MET ALL REQUIREMENTS AND REQUIREMENTS FOR THE IGCC/IGMA CERTIFICATION PROGRAM AND IS ELIGIBLE TO LABEL THE BELOW INDICATED PRODUCTS AS IGCC/IGMA CERTIFIED. THE FOLLOWING ARE IN COMPLIANCE WITH ASTM E1363 FOR SEAL DURABILITY OF INSULATING GLASS UNITS AND FILING GAS CONTENT RATIO, AND AFTER WEATHERING (IGCC) CERTIFICATION REQUIREMENTS ARE INDICATED:

CELL #	GLASS	SPACER	FRAME CONST.	DESICCANT	SEALANT	DGA
4330	IG2	MA	SCAGELC	LF	PIBSE	NO

THE IGCC/IGMA PROGRAM CERTIFICATION IS CURRENT AND IN FULL EFFECT AS OF THIS ISSUE DATE. CERTIFICATION IN THE IGCC/IGMA PROGRAM IS SUBJECT TO PERMANENT MONITORING. PLEASE CHECK THE CURRENT CERTIFIED PRODUCTS DIRECTORY ON THIS OFFICE FOR MOST CURRENT INFORMATION.

Issue: February 11, 2019 Expires: 11, 2021  
DATE OF ISSUE: CERTIFICATION PERIOD: 

**SIGC** Safety Glazing Certification Council  
305 West 56th Street, 10th Floor, New York, NY 10019  
Phone: (212) 486-2278 Fax: (212) 486-2297 Email: info@sigc.com

**ACKNOWLEDGEMENT OF CERTIFICATION**  
THIS IS TO ACKNOWLEDGE THAT AS OF THIS DATE  
**Shenzhen Dragon Glass Co., Limited**  
**Shenzhen, Guangdong**

IS A CURRENT LICENSEE AND HAS MET ALL REQUIREMENTS AND REQUIREMENTS FOR THE SIGC/IGCC/IGMA CERTIFICATION PROGRAM AND IS ELIGIBLE TO LABEL THE BELOW INDICATED PRODUCTS AS SIGC/IGCC/IGMA CERTIFIED. THE FOLLOWING ARE IN COMPLIANCE WITH ASTM E1363 FOR SEAL DURABILITY OF INSULATING GLASS UNITS AND FILING GAS CONTENT RATIO, AND AFTER WEATHERING (IGCC) CERTIFICATION REQUIREMENTS ARE INDICATED:

DOCC# IN	MM	Attributes	HT	Task Code	Max. Size	ANSI/IGMA Task List	APPLICABLE CODE
4300	9/16	A		TF02	1/2	A	IGCC+IGMA 2008
4304	11/16	A		TF02	1/2	A	IGCC+IGMA 2008
4305	1/4	M		TF02	1/2	A	IGCC+IGMA 2008
4306	5/8	A		TF02	1/2	A	IGCC+IGMA 2008
4307	3/8	A		TF02	1/2	A	IGCC+IGMA 2008
4308	1/2	M		TF02	1/2	A	IGCC+IGMA 2008
4309	1/2	M		TF02	1/2	A	IGCC+IGMA 2008
4310	3/4	M		TF02	1/2	A	IGCC+IGMA 2008
4312	1/16	M, SBA, SBAAL	1, 2, 3, 4, 5	TF02	1/2	A	IGCC+IGMA 2008
4316	1/16	S, SBA, SBAAL	1, 2, 3, 4, 5	TF02	1/2	A	IGCC+IGMA 2008
4320	1/16	M		TF02	1/2	A	IGCC+IGMA 2008
4324	1/16	M		TF02	1/2	A	IGCC+IGMA 2008
4328	1/16	M		TF02	1/2	A	IGCC+IGMA 2008
4332	1/16	M		TF02	1/2	A	IGCC+IGMA 2008
4336	1/16	M		TF02	1/2	A	IGCC+IGMA 2008
4340	1/16	M		TF02	1/2	A	IGCC+IGMA 2008
4344	1/16	M		TF02	1/2	A	IGCC+IGMA 2008
4348	1/16	M		TF02	1/2	A	IGCC+IGMA 2008
4352	1/16	M		TF02	1/2	A	IGCC+IGMA 2008
4356	1/16	M		TF02	1/2	A	IGCC+IGMA 2008
4360	1/16	M		TF02	1/2	A	IGCC+IGMA 2008
4364	1/16	M		TF02	1/2	A	IGCC+IGMA 2008
4368	1/16	M		TF02	1/2	A	IGCC+IGMA 2008
4372	1/16	M		TF02	1/2	A	IGCC+IGMA 2008
4376	1/16	M		TF02	1/2	A	IGCC+IGMA 2008
4380	1/16	M		TF02	1/2	A	IGCC+IGMA 2008
4384	1/16	M		TF02	1/2	A	IGCC+IGMA 2008
4388	1/16	M		TF02	1/2	A	IGCC+IGMA 2008
4392	1/16	M		TF02	1/2	A	IGCC+IGMA 2008
4396	1/16	M		TF02	1/2	A	IGCC+IGMA 2008
4400	1/16	M		TF02	1/2	A	IGCC+IGMA 2008

THE SIGC PROGRAM CERTIFICATION IS CURRENT AND IN FULL EFFECT AS OF THIS ISSUE DATE. CERTIFICATION IN THE SIGC PROGRAM IS SUBJECT TO PERMANENT MONITORING. PLEASE CHECK THE CURRENT CERTIFIED PRODUCTS DIRECTORY ON THIS OFFICE FOR MOST CURRENT INFORMATION.

Issue: February 11, 2019 Expires: 11, 2021  
DATE OF ISSUE: CERTIFICATION PERIOD: 

7, Meidän pakkaus tiedot:





*Vahvat vanerilaatikot, joilla varmistetaan, ettei lähetyksen aikana ole rikkoutuminen.*

## 8, Mikä on karkaistu lasi hinnasto?

Siitä lähtien monet asiakkaat kysyvät meiltä, lähettäisitkö minulle karkaistun **lasin hinnastosi?**

Itse asiassa [REDACTED]  
[REDACTED], kuten:

1. Lasiraaka-aineen laatu;
2. Lasin paksuus;
3. Lasin värit;
4. Lasin koko: vaikuttaa leikkausnopeus;
5. Lasin muoto: kuten tasainen tai kaareva;

6. Lasimäärä: suurempi määrä, alhaisempi hinta;
7. Reiät tai ei;
8. Reunatyön vaatimus;
9. Lasin laatustandardivaatimus: Jollei CCC:stä tai CE:stä tai ASTM:stä muuta johdu, koska se vaikuttaa toleranssin hallintaan.

Myös muut syyt, kuten vuodenaikojen vaihtelut, kysynnän ja tarjonnan muutokset, vaikuttavat karkaistun lasin hintoihin.

Yleisesti ottaen alla on jonkin verran hintaa karkaistua lasia viite:

<b>Nimikkeen</b>	<b>Määrä (SQM)</b>	<b>FOB Hinta(USD/SQM)</b>
8mm kirkas karkaistu lasi hinta	200	12.3
10mm kirkas karkaistu lasi hinta	200	14.5
12mm kirkas karkaistu lasi hinta	200	17.2

***Karkaistun lasin tyypillinen hinta***

Jos sinulla on kysyttävää, tervetuloa [saamaan paras karkaistu lasi hinta nyt](#) !