

TOP 10 CE-laatuista Padel-lasinvalmistajaa Kiinassa




Padeltennis on yksi suosituimmista urheilulajeista ympäri maailmaa, erityisesti Euroopan maissa. Mistä aiot ostaa padel-lasia, kun aiot rakentaa padel-tenniskentän?

Nyt tulet oikeaan paikkaan! Shenzhen Dragon Lasi luotettavana ja ammattitaitoisena lasinvalmistajana tarjoaa korkealaatuisia padel-tenniskenttälaseja edullisempaan hintaan.



Millaista lasia oikeuteen tarvitset?

Tyypillinen padel-tenniskenttä on 20 metriä pitkä ja 10 metriä leveä ja siinä on 18 padel-lasia. Pihaa ympäröi lasi, joten lasin laatu on avaintekijä. [Karkaistu lasi](#) ja [laminoitu lasi](#) ovat molemmat turvalasia. Molemmat ovat paras valinta padel-tenniskenttien rakentamiseen.



Miten padellasi valmistetaan?

Yleensä padel-kenttälasin valmistamisessa on 5 vaihetta. Ammattimaisena padel-kenttävalmistajana takaamme, että jokainen askel noudattaa standardeja tuottaaksemme sinulle parasta laatua olevia lasituotteita.

1. Tarkastus


Ensinnäkin Xinyin A-luokan lasilevyt tarkastetaan perusteellisesti sen varmistamiseksi, ettei niissä ole vikoja, kuten kuplia. Paksuuksien, kokojen, värien ja laatujen on vastattava tuotteen etikettikorttia ja sinetöityjä näytteitä.



A-luokan lasilevyt

2. Leikkaus

Toiseksi lasilevy asetetaan Bottero- tai LiSEC-leikkauskoneellemme ja sitten se leikataan tarkasti ilman naarmuja tai siruja.



Bottero-leikkuukone

3. Hionta


Kolmanneksi lasin terävät reunat on hiottava, jotta ne ovat tasaisia ja kiillotettuja. Voit koskettaa reunoja leikkaamatta, ja laadukkaat lasin reunat eivät todennäköisesti murtu karkaisun aikana ja sen jälkeen.



kiillotetut reunat

4. Poraus

Neljänneksi melakentän lasi on kiinnitetty ruuveilla, joten kyse on porausprosessista. Levenevien reikien koon tulee olla tarkka ja reunat sileät ilman halkeamia.



substandard



standard

5. Karkaisu

Viidenneksi, se koskee tärkeintä prosessia. Lasilevy laitetaan karkaisuuuniin sen lujuuden lisäämiseksi. Karkaisuprosessin jälkeen se vaatii vielä lämpöhaihtumistestiä, joka vähentää nikkelisulfidin aiheuttaman spontaanin rikkoutumisen riskiä. Takaamme, että melalassimme spontaani rikkoutuminen on alle 0,1 %.



LandGlass karkaisuuuni

Tuotteen tekniset tiedot

Tuotteen nimi:	Padelin tenniskentän lasit
Koko :	2995mm * 1995mm, 1995mm * 1995mm, 3000 * 2000m, 2000 * 2000m, räätälöity
Paksuus :	10mm, 12mm, 6mm + 1,52PVB + 6mm
Reiät :	4, 5, 6, 8, 10, 12, räätälöity
Väri :	Asia selvä

Pakkaus :	Paperivälikerros jokaisen lasipaneelin välissä Vahvat vaneriset puukotelot takaavat turvallisuuden pitkän matkan kuljetuksessa.
Todistukset:	CE EN-12150 karkaistulle lasille ja laminoidulle lasille

Kuinka pakata melalasi ja varmistaa turvallisuus




vahvat vaneripuukotelot

1. Käytämme vahvaa vaneria puukoteloiden valmistukseen. Nämä puiset kotelot ovat vahvoja eivätkä napsahda lastauksen ja purkamisen aikana.



pehmeää paksua paperia

2. Jokaisen lasin pinnalle laitetaan pehmeää paksua paperia. Se voi vähentää kitkaa ja tärinää kunkin lasin välillä.



kiinnitetty säiliöön

3. Kun puukotelot on ladattu konttiin, ne kiinnitetään nylonköysillä, jotta puukotelot eivät pääse liikkumaan

kuljetuksen aikana. Kun lasi pääsee porttiin, se on edelleen hyvässä kunnossa ilman rikkoutumista.

CE-sertifikaatit

Certificate NO.: LBTC210420139S	
Declaration of Conformity	
The following product has been assessed by us with the listing standards and found in conformity with the EC Council Regulation of (EU) No 305/2011. It is possible to use CE marking to demonstrate the compliance with this CPR Regulation.	
Report No.	: LBTR210420139S
Applicant	: Shenzhen Dragon Glass Co., Ltd
Address	: C108, Yunhai enterprise headquarters base, No. 42 Caiyun Road, Jixiang community, Longcheng street, Longgang District, Shenzhen City, China
Manufacturer	: Shenzhen Dragon Glass Co., Ltd
Address	: Yunhai enterprise headquarters base, No. 42 Caiyun Road, Jixiang community, Longcheng street, Longgang District, Shenzhen City, China
Product Name	: Tempered glass
Trade Name	: N/A
Model No.	: 4mm, 5mm, 6mm, 8mm, 10mm, 12mm, 15mm, 19mm.
EC Directives	: CPR Regulation (EU) No 305/2011
Test Standards	: EN 12160-1:2015 EN 12150-2:2004
The referred test report(s) show that the product complies with the essential requirements in the above listed standards. The applicant is authorized to use this certificate in connection with the EC declaration of CPR conformity according to the Regulation.	
The CE marking as shown below can be affixed on the equipment after the preparation of the necessary technical documentation as well as the conformity declaration by the manufacturer.	
Whereas the Manufacturer is responsible for the certification of the product(s) and not exempted from performing all the necessary activities before placing the product(s) on the market.	
The Manufacturer is also responsible for the internal production control to ensure the product(s) are in compliance with the essential requirements of the above mentioned Regulation(s).	
	
Date of issue: Apr 25, 2021	
This statement is based on a single evaluation of the sample(s) of above mentioned product. It does not imply an assessment of the whole production.	
LABTEST TECHNOLOGY LABORATORY LTD Mishua Pukyo Bio Park, Jinxu Road, Pingshan, Shenzhen, CHINA. http://www.labtest.com	

Certificate NO.: LBTC210420140S	
Declaration of Conformity	
The following product has been assessed by us with the listing standards and found in conformity with the EC Council Regulation of (EU) No 305/2011. It is possible to use CE marking to demonstrate the compliance with this CPR Regulation.	
Report No.	: LBTR210420140S
Applicant	: Shenzhen Dragon Glass Co., Ltd
Address	: C108, Yunhai enterprise headquarters base, No. 42 Caiyun Road, Jixiang community, Longcheng street, Longgang District, Shenzhen City, China
Manufacturer	: Shenzhen Dragon Glass Co., Ltd
Address	: Yunhai enterprise headquarters base, No. 42 Caiyun Road, Jixiang community, Longcheng street, Longgang District, Shenzhen City, China
Product Name	: Laminated (Safety) Glass
Trade Name	: N/A
Model No.	: 3mm+0.76PVB+3mm, 4mm+0.76PVB+4mm, 6mm+1.52PVB+6mm, 8mm+1.52PVB+8mm, 10mm+1.52PVB+10mm, 12mm+1.52PVB+12mm, 15mm+1.52PVB+15mm, 19mm+3.04PVB+19mm.
EC Directives	: CPR Regulation (EU) No 305/2011
Test Standards	: EN ISO 12543-3:2011
The referred test report(s) show that the product complies with the essential requirements in the above listed standards. The applicant is authorized to use this certificate in connection with the EC declaration of CPR conformity according to the Regulation.	
The CE marking as shown below can be affixed on the equipment after the preparation of the necessary technical documentation as well as the conformity declaration by the manufacturer.	
Whereas the Manufacturer is responsible for the certification of the product(s) and not exempted from performing all the necessary activities before placing the product(s) on the market.	
The Manufacturer is also responsible for the internal production control to ensure the product(s) are in compliance with the essential requirements of the above mentioned Regulation(s).	
	
Date of issue: Apr 25, 2021	
This statement is based on a single evaluation of the sample(s) of above mentioned product. It does not imply an assessment of the whole production.	
LABTEST TECHNOLOGY LABORATORY LTD Mishua Pukyo Bio Park, Jinxu Road, Pingshan, Shenzhen, CHINA. http://www.labtest.com	

Haluatko rakentaa oman padel-tenniskentän? Ota [meihin yhteyttä](#), jos tarvitset lisätietoja.

Lisää padellasikuvia saat napsauttamalla [tätä](#).