


# 7 советов по квалификации поставщиков многослойного стекла SGP (2022 г.)




## 1, что такое многослойное стекло sgp?

■ относится к ■ от Dupont. Многослойное стекло sgp изготавливается путем соединения двух кусков стеклянных панелей с промежуточным слоем SGP. При высокой температуре (около 200 градусов) и высоком давлении связь между стеклом и SGP- пломальная связь будет постоянно склеивания. Ниже приведено видео, которое может ясно показать вам преимущества SGP ламинированного стекла:



## 2, ламинированное стекло pvb против sgp?



Вы можете задаться вопросом, в чем разница между [PVB ламинированного стекла VS SGP ламинированного стекла?](#) Что ж, по процессу особой разницы нет. Но для межслойного материала, SGP ламинированное стекло будет в 5 раз выше прочности, чем PVB ламинированное стекло и до 100 раз жестче, чем обычный PVB ламинированного стекла.

В разбитом состоянии многослойное стекло PVB склеит осколки вместе, но упадет, в то время как стекло SGP все еще будет стоять.

Таким образом, для некоторых применений, таких как безрамные

перила, стекло SGP обеспечивает более высокую безопасность.

### **3. Каковы преимущества многослойного стекла SGP?**

(1)

#### **более высокая прочность**

: SGP ламинированное стекло в 5 раз сильнее, чем PVB ламинированное стекло в той же толщине.

□ **более высокая прочность** : более высокая прочность означает, что вы можете сэкономить материал, в то время как более тонкие конфигурации предназначены для архитектурного проектирования. Стекло SGP требует меньшей толщины, чем стекло PVB.

□ **более высокий коэффициент пропускания, более четкий** : индекс желтого цвета SGP меньше 1,5, тогда как pvb составляет около 6 ~ 12, что означает, что пленка SGP может предложить более высокий коэффициент пропускания, гораздо более четкие и красивые пейзажи. Пленка SGP обычно сочетается с дополнительным четким стеклом, чтобы усилить свою супер чистую красоту.





## 5, Как квалифицировать поставщиков стекла SGP?

Квалифицированные поставщики стекла SGP будут иметь сертификаты SentryGlas от Dupont , сертификаты будут отслеживаться через Интернет. Иногда некоторые клиенты спрашивают нас, почему есть поставщики, которые могут предложить цены на стекло SGP намного ниже, чем у вас? Правда в том, что некоторые так называемые «стекла SGP» поставляются этими поставщиками без сертификации, а материал слоя «SGP» не может пройти испытание на удар, а также кислотное испытание и т. д.

Вообще говоря, цена стекла SGP будет на средних ценах в Китае для квалифицированных поставщиков, с той лишь разницей, что речь будет о контроле качества обработки. Все наши системы контроля качества соответствуют стандартам CE и ASTM и поэтому могут гарантировать вам высококачественную стеклянную

продукцию SGP. Наши файлы качества могут быть отправлены для вашей справки, чтобы помочь вам найти хороших поставщиков стекла SGP.



Один из лучших поставщиков стекла SGP-Шэньчжэнь Дракон стекла

## 6, Что Шэньчжэнь Дракон стекла может предложить вам?

|                          |   |
|--------------------------|---|
| <b>Название продукта</b> | Ламинированное стекло SGP   |
| <b>Стекланный цвет</b>   | Ясно, ультра ясно, синий, зеленый, бронзовый, серый и т.д.  |
| <b>Толщина стекла</b>    | 5'5 мм, 6'6 мм, 8'8 мм, 10'10mm, 12'12mm, и т.д.<br>5'5'5mm, 6'6'6mm, 8'8'8mm, 10'10'10mm, и т.д., и т.д.<br>5'5'5'5'5mm, 6'6'6'6'6mm, 8'8'8'8'8mm, и т.д.,<br>другие типы доступны тоже. |
| <b>Толщина SGP</b>       | 0,89, 1,52, 2,28, 3,04 и т.д.   |
| <b>Формы</b>             | плоский/ изогнутый  |

|                            |   |
|----------------------------|---|
| <b>Приложений</b>          | Фасад, занавесная стена, перила, фонари, балконная балюстрада, окна, стеклянный <a href="#">пол, плавающая стеклянная лестница</a> и т.д. |
| <b>Сертификаты</b>         | SGCC, CE, CCC, ISO9001 и т.д.   |
| <b>Максимальный размер</b> | 3200*12000mm  |
| <b>Емкость</b>             | 3000 СЗМ/День   |

## **7, Сертифицированный специалист sgr стеклянные продукты ltd Шэньчжэнь Дракон стекла**

[Шэньчжэнь Дракон стекла](#) в качестве сертифицированных поставщиков стекла sgr и топ-3 производителей стекла в Гуандун, имеет сертификаты ISO9001/CCC/SGCC / CE сертификации. Мы можем предоставить вам изделия из стекла отличного качества.

**DECLARATION OF CONFORMITY**

**Latent Laboratory**  
Certificate NO.: LBTC1311202C

**EC Declaration of CPD Conformity**

The following product has been tested by Latent Technology Laboratory Ltd with the following standards and found to conform with the EC Council Directive of 89/106/EEC. It is acceptable to use CE marking to demonstrate the conformity with the CPD Directive.

Report No.: LBTC1311202C  
Applicant: SHENZHEN DRAGON GLASS CO., LTD  
Address: Yuhai enterprise headquarters base, Longgang street, Longgang District, Shenzhen, China  
Manufacturer: SHENZHEN DRAGON GLASS CO., LTD  
Address: Yuhai enterprise headquarters base, Longgang street, Longgang District, Shenzhen, China  
Product: Laminated Safety Glass  
Glass 1: 52\*52mm, 5mm+1.52+5mm  
Glass 2: 52\*52mm, 5mm+1.52+5mm  
Model No.: CPD003-52\*52mm  
Trade Mark: N/A  
Test Standards: EN ISO 12543-3:2011  
EN ISO 12543-3:2011

The relevant test reports show that the product complies with the essential requirements of the above listed standards. The applicant is authorized to use this certificate in connection with the EC declaration of CPD conformity according to the Directive.

This certificate of conformity is based on a single evaluation of the submitted samples of the above mentioned product. It does not imply an assessment of the whole production and other relevant Directives have to be observed.

20, Shuangshuang Building, 21st Floor, Nantou Road, Nantou Street, Shenzhen, P.R. China  
Tel: 86-755-26611188 Fax: 86-755-26611189  
E-mail: latent@latent.com.cn www.latent.com.cn

**Research Engineering Development Experts Consultants Limited**  
R&E  
Research Engineering Development Experts Consultants Limited  
R&E 發展顧問有限公司  
• Tel: (852) 2627-8898 • Fax: (852) 2627-8193

**Report R19H01-1A**  
OR  
**Calibration of Oven No. 3**  
for  
**Heat Soak Process for Tempered Glass**  
to BS EN 14179-1: 2016  
and  
fulfilling the requirements of  
**Sections 8.1 & 9.3 of Code of Practice for**  
**Structural Use of Glass 2018 of**  
**Buildings Department of Hong Kong**

Prepared for:  
Glass Supplier & Glass Fabricator:  
**SHENZHEN DRAGON GLASS CO., LTD**  
Yuhai enterprise headquarters base, Longgang,  
Longgang District, Shenzhen, China.

Research Engineering Development  
Experts Consultants Limited  
Valid Period: From 2 August 2019 to 2 August 2024  
Issue Date: 2 August 2019

**QUALITY MANAGEMENT SYSTEM**  
**CERTIFICATE**

Certificate No.: 1873AQ10200006  
By virtue of this  
**Shenzhen Dragon Glass Co., Ltd**  
Unified social credit code: 914403006270199114  
Address: Yuhai enterprise headquarters base, Longgang,  
Longgang District, Shenzhen, China  
is certified by us  
Quality Management System  
has been awarded this certificate for compliance with the product  
**ISO 9001:2015**

The Quality Management System applies to the following area  
**Sales of Building Glass (Floor Glass, Tempered Glass, Laminated  
Glass, Insulated Glass, Mirror Glass and Other Special Glass)**  
Applicable Clause:  
4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20

Date of Issue: Nov-09, 2016 Date of Renewal: Nov-09, 2019  
Surveillance Audit (The first time) Surveillance Audit (The second time) Surveillance Audit (The third time)

The quality management system is subject to yearly surveillance audits within  
the period of validity, the certificate is valid only when used together with an  
Approved Notice of Surveillance Audit issued by SBC.

Issued by 

This certificate and its relevant information can apply to the website of Certification and  
Accreditation Administration of the People's Republic of China. (www.cca.org.cn)

SHENZHEN SOUTH INTERNATIONAL LIMITED (SHEN CO., LTD)  
Address: No. 4, Luoping, Qianwan Road, 1, Qianwan Road, Longgang District, Shenzhen, China

**IGCC** INTERNATIONAL GLASS CERTIFICATION PROGRAM  
**IGMA** INTERNATIONAL GLASS MARKETING ASSOCIATION


**ACKNOWLEDGEMENT OF CERTIFICATION**  
THIS IS TO ACKNOWLEDGE THAT AS OF THIS DATE  
**Shenzhen Dragon Glass Co., Ltd**  
**Shenzhen, Guangdong**

IS A CURRENT LICENSEE AND HAS MET ALL REQUIREMENTS AND REQUIREMENTS FOR THE IGCC/IGMA CERTIFICATION PROGRAM AND AS SUCH IS ELIGIBLE TO LABEL THE BELOW INDICATED PRODUCTS AS IGCC/IGMA CERTIFIED. THE FOLLOWING ARE IN COMPLIANCE WITH ITEM 12.3 FOR SEAL DURABILITY OF INSULATING GLASS UNITS AND PASSED GAS CONCENTRATION, AND AFTER WEATHERING (IGCC) CERTIFICATION REQUIREMENTS ARE INDICATED:

| IGCC # | GLASS | SPACER | FRAME CONST. | DESICCANT | SEALANT | DGA |
|--------|-------|--------|--------------|-----------|---------|-----|
| 4330   | IG2   | MA     | SCAGELC      | LF        | PIBSE   | NO  |

THE IGCC/IGMA PROGRAM CERTIFICATION IS CURRENT AND IN FULL EFFECT AS OF THIS ISSUE DATE. CERTIFICATION IN THE IGCC/IGMA PROGRAM IS SUBJECT TO BENCHMARK MONITORING. PLEASE CHECK THE CURRENT CERTIFIED PRODUCTS DIRECTORY ON THIS OFFICE FOR MOST CURRENT INFORMATION.

Issue: February 11, 2019 Expires: 11, 2024  
DATE OF ISSUE CERTIFICATION PERIOD



**SBC** safety glazing certification council  
**ACKNOWLEDGEMENT OF CERTIFICATION**  
THIS IS TO ACKNOWLEDGE THAT AS OF THIS DATE  
**Shenzhen Dragon Glass Co., Limited**  
**Shenzhen, Guangdong**

IS A CURRENT LICENSEE AND HAS MET ALL REQUIREMENTS AND REQUIREMENTS FOR THE SBC/CEN CERTIFICATION PROGRAM AND AS SUCH IS ELIGIBLE TO LABEL THE BELOW INDICATED PRODUCTS TO BE SBC/CEN CERTIFIED. CERTIFICATION IS BASED ON THE FOLLOWING PRODUCTS TO HAVE BEEN PROVIDED TO THE SBC/CEN OFFICE WITH BATCH TEST REPORTS AND AN INSULATED GLASS UNIT (IGU) SAMPLES TO THE SBC/CEN OFFICE. THE SBC/CEN CERTIFICATION PROGRAM IS CURRENT AND IN FULL EFFECT AS OF THIS ISSUE DATE. CERTIFICATION IN THE SBC/CEN PROGRAM IS SUBJECT TO BENCHMARK MONITORING. PLEASE CHECK THE CURRENT CERTIFIED PRODUCTS DIRECTORY ON THIS OFFICE FOR MOST CURRENT INFORMATION.

| DOCCEN | MM    | Attributes   | INT   | TYPE CODE | Max. Size | ANSI/CEN | Test Std   | APPLICABLE DATE |
|--------|-------|--------------|-------|-----------|-----------|----------|------------|-----------------|
| 4300   | 9/12  | A            |       | TF02      | 1/2       | A        | IGCCP+IGMA | 2008            |
| 4304   | 10/16 | A            |       | TF02      | 1/2       | A        | IGCCP+IGMA | 2008            |
| 4305   | 1/4   | M            |       | TF02      | 1/2       | A        | IGCCP+IGMA | 2008            |
| 4306   | 9/16  | A            |       | TF02      | 1/2       | A        | IGCCP+IGMA | 2008            |
| 4307   | 3/8   | B            |       | TF02      | 1/2       | A        | IGCCP+IGMA | 2008            |
| 4308   | 1/2   | 12           |       | TF02      | 1/2       | A        | IGCCP+IGMA | 2008            |
| 4309   | 1/2   | 12           | 12L   | TF02      | 1/2       | A        | IGCCP+IGMA | 2008            |
| 4310   | 3/4   | 16           |       | TF02      | 1/2       | A        | IGCCP+IGMA | 2008            |
| 4312   | 2/11  | M-ASA-IGUAL  | 1.00M | TF02      | 1/2       | A        | IGCCP+IGMA | 2008            |
| 4316   | 2/11  | IG-ASA-IGUAL | 1.00M | TF02      | 1/2       | A        | IGCCP+IGMA | 2008            |
| 4320   | 1/4   | M            |       | TF02      | 1/2       | A        | IGCCP+IGMA | 2008            |
| 4324   | 3/8   | B            |       | TF02      | 1/2       | A        | IGCCP+IGMA | 2008            |
| 4328   | 3/8   | 12           |       | TF02      | 1/2       | A        | IGCCP+IGMA | 2008            |
| 4330   | 1/2   | 12           |       | TF02      | 1/2       | A        | IGCCP+IGMA | 2008            |

THE SBC/CEN PROGRAM CERTIFICATION IS CURRENT AND IN FULL EFFECT AS OF THIS ISSUE DATE. CERTIFICATION IN THE SBC/CEN PROGRAM IS SUBJECT TO BENCHMARK MONITORING. PLEASE CHECK THE CURRENT CERTIFIED PRODUCTS DIRECTORY ON THIS OFFICE FOR MOST CURRENT INFORMATION.

Issue: Jan 24, 2019 Expires: 11, 2024  
DATE OF ISSUE CERTIFICATION PERIOD



**Свяжитесь с нами бесплатно цитатой сейчас!**